



ABN: 81 008 668 371

MATERIAL SAFETY DATA SHEET

Super SoP Range

Section 1 – Identification of the Material and Supplier

Product Name

Super SoP 5:1, Super SoP 4:1, Super SoP 3:1, Super SoP 2:1 and Super SoP 1:1.

Other names

CSBP Product Codes: Super SoP 5:1 [AC1], Super SoP 4:1 [AD1], Super SoP 3:1 [N81], Super SoP 2:1 [N91] and Super SoP 1:1 [AE1].

Recommended use

Fertiliser

Company name

CSBP Limited

Address

Kwinana Beach Road, KWINANA

State

Western Australia

Postcode

6167

Telephone number

(08) 9411 8777 (Australia), +61 8 9411 8777 (Overseas)

Emergency telephone number

1800 093 333 (Australia), +61 8 9411 8444

Section 2 – Hazard Identification

Hazard Classification, including a statement of overall hazardous nature

HAZARDOUS SUBSTANCE.

The Super SoP Range is not classified as hazardous according to Safe Work Australia criteria.

DANGEROUS GOODS.

The Super SoP Range is not classified as a dangerous good according to the ADG Code.

Section 3 – Composition/Information on Ingredients

Chemical identity of ingredients

Calcium dihydrogen phosphate

Potassium sulfate

Calcium sulfate dihydrate (Gypsum)

Proportion of ingredients

60 to 80%

20 to 40%

Less than 10%

CAS Number for ingredients

7758-23-8

7778-80-5

10101-41-4

Section 4 – First Aid Measures

First Aid Facilities

Whenever fertilisers are in regular use ensure drinking water and eyewash facilities are available.

FIRST AID PROCEDURES FOR DEALING WITH THIS PRODUCT AND EXPOSURE TO IT

1. Swallowed

If person is conscious, rinse mouth thoroughly with water immediately, and give water or milk to drink. DO NOT induce vomiting. Seek medical attention, if more than a small quantity has been swallowed, or there is pain or difficulty with swallowing.

2. Eyes

Flush gently with running water for at least 15 minutes lifting lower and upper eyelids occasionally. Seek medical attention if irritation develops.

3. Skin

Gently flush affected areas with water. Seek medical attention if irritation develops. Remove all contaminated clothing and laundry before re-use.



ABN: 81 008 668 371

MATERIAL SAFETY DATA SHEET

Super SoP Range

Continuation of Section 4 - First Aid Measures

4. Inhalation

If over exposure occurs remove affected person to a well ventilated area. Keep warm and at rest. In emergency situations, if breathing is difficult give oxygen. If the affected person suffers cardiac arrest commence cardio-pulmonary resuscitation immediately. Seek urgent medical attention.

ADVICE TO DOCTOR.

Treat symptomatically.

Section 5 – Fire Fighting Measures

Product flammability

Non flammable and does not support combustion.

Suitable extinguishing media

Non flammable and does not support combustion.

Hazard from combustion products

Will form flammable and toxic gases at elevated temperatures (>280°C) by thermal decomposition, yielding oxides of phosphorus and sulfur.

Hazchem Code

None allocated.

Section 6 – Accidental Release Measures

Methods and Materials for containment and clean up

Any spillage should be cleaned up promptly and swept up. Prevent run-off into drains and waterways.

Section 7 – Handling and Storage

Precautions for safe handling

Keep away from alkalis, oxidizing agents, chlorinating agents such as swimming pool chlorine, and strong acids when transporting.

Conditions for safe storage, including any incompatibilities

Store in a cool, clean, dry and well ventilated area. Avoid contact with moisture, as it will cause product handling problems.

Store away from alkalis, chlorinating agents such as swimming pool chlorine, and strong acids. Violent explosion occurs when sulfate of potash is melted with aluminum.

Section 8 – Exposure Controls/Personal Protection

National exposure standards

No specific official limit. ACGIH recommended value for inhalable particulates is 10 mg/m³ (TLV/TWA).

Engineering controls

Use in well ventilated areas. Avoid high dust concentration.

Personal protective equipment

Wear rubber or PVC gloves to prevent skin contact. Where dust is a problem use a P2 type canister Respirator. Wear long sleeves and long trousers to prevent contact. Wear chemical safety glasses to prevent eye contact.



ABN: 81 008 668 371

MATERIAL SAFETY DATA SHEET

Super SoP Range

Section 9 – Physical and Chemical Properties

Appearance (colour, physical form, shape)

Partly granulated material with wide particle size range. Light grey-brown in colour.

Odour

No significant odour.

pH of 10% solution

4.0 – 8.0.

Vapour pressure

Does not exert significant vapour pressure.

Vapour density

Not available.

Boiling point/range

Not available.

Freezing/melting point

Not available.

Evaporation rate

Not available.

Solubility

Not soluble in alcohol or acetone.

Bulk density

1.20 t/m³.

% Volatiles

Not available.

Flammability

Not Flammable.

Flash point and method of detecting flash point

Not relevant.

Upper and lower flammable (explosive) limits in air

Not relevant.

Ignition temperature

Not available.

Section 10 – Stability and Reactivity

Reactivity

Reacts with alkalis, sodium hypochlorites, oxidizing agents and strong acids. Incompatible with aluminium, magnesium or sodium sulfate and may explode in combination with these at temperatures exceeding 800 °C.

Mildly corrosive to aluminium, zinc, copper, brass, iron and galvanised steel.

Decomposition products

Not identified.



ABN: 81 008 668 371

MATERIAL SAFETY DATA SHEET

Super SoP Range

Section 11 – Toxicological Information

HEALTH EFFECTS

Low toxicity. Use safe work practices to avoid eye or skin contact and dust inhalation.

There is no known effect from chronic exposure to the Super SoP Range of Fertilisers.

Inhalation:

High dust concentration of air-borne material may cause irritation to the nose and upper respiratory tract; symptoms may include coughing and sore throat.

Skin:

Prolonged contact may cause some irritation, including redness and itching. No harmful effects from skin absorption have been recorded.

Eye:

May cause irritation, redness and pain following contact.

Swallowed:

Presents little toxicity, unless large amounts are ingested. Large amounts give rise to gastro-intestinal irritation, with symptoms such as nausea, vomiting and diarrhea.

TOXICITY DATA

Calcium dihydrogen phosphate (7758-23-8)

LD50 (Ingestion): 15250 mg/kg (mouse)

Potassium sulfate (77783-80-5)

LDLo (Subcutaneous): 3000 mg/kg (guinea pig)

TDLo (Ingestion): 750 mg/kg (woman)

LD50 (Ingestion): 6600 mg/kg (rat)

LDLo (Ingestion): 750 mg/kg (woman)

Section 12 – Ecological Information

Environment

It is not anticipated to cause any adverse effects to plants or animals.

Section 13 – Disposal Considerations

Disposal methods and containers

Dispose of on a farm, or authorised waste facility in accordance with statutory requirements.

Clean up personnel should vacuum or wet sweep to avoid dust dispersal.

Contact the manufacturer if additional information is required.

Legislation

Dispose of in accordance with relevant local legislation.

Section 14 – Transport Information

UN Number

None allocated.

UN Proper shipping name

None allocated.

Class and subsidiary risk

None allocated.

Packing group

None allocated.



ABN: 81 008 668 371

MATERIAL SAFETY DATA SHEET

Super SoP Range

Continuation of Section 14 – Transport Information

EPG

None allocated.

Hazchem code

None allocated.

Section 15 – Regulatory Information

Australian regulatory information

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

Section 16 – Other Information

Key / legend to abbreviations and acronyms used in the MSDS

NOHSC	National Occupational Health and Safety Commission
SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons
ACGIH	American Conference of Government Industrial Hygienists
ES-TWA	Exposure Standard – Time weighted average
ES-STEL	Exposure Standard – Short term exposure level
ES-Peak	Exposure Standard – Peak level
LC ₅₀	Lethal concentration 50, median lethal concentration
LD ₅₀	Lethal dose 50. The single dose of a substance that causes the death of 50% of an animal population from exposure to the substance by any route other than inhalation
LD Lo	The lowest dose in an animal study in which lethality occurred
TD Lo	The lowest dose of a substance known to have produced signs of toxicity
% (wt/wt)	Percent amount on a weight per weight basis
mg/m ³	Milligrams per cubic metre
mg/kg	Milligrams per kilogram
pH	relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline

Important Notes

1. To the best of our knowledge this document complies with the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011 (2003)].
2. This material safety data sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this material safety data sheet and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products.
3. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact the Safety and Emergency Services Department, CSBP Limited on (08) 9411 8777 (Australia), +61 8 9411 8777 (Overseas).
4. Our responsibility for products sold, is subject to our terms and conditions, a copy of which is sent to our customers, and is also available on request.
5. CSBP reserves the right to make change to material safety data sheets without notice.